

DOCK RECEIPT - RECEIPT FOR CARGO VGM DECLARATION

Carolina National

ISSUED BY Magaly Craig
FORWARDER:

260071 WH

Missionary Expeditors, Inc. oti 268f
5620 Tchoupitoulas Street
New Orleans, LA 70115 USA
1504 891 6300

SHIPPER / EXPORTER

World Help, Inc.
1148 Corporate Park Drive
Forest, VA 24551 USA

EXPORT CARRIER

HAPAG

BOOKING NO.

94430903

Pickup equipment IN TIME for load scheduled below.
INSPECT container to verify it is air tight, water tight, and structurally sound.

LOCATION OF UNLOADED EQUIPMENT

NORFOLK INTL TERMINAL FIRMS CODE:L005 7737
HAMPTON BLVD 1x40HC

CONSIGNEE (NOT NEGOTIABLE UNLESS CONSIGNED TO ORDER)

PO "Christian Road of Life"
53 Drohobyt'ska Street, Boryslav
LVIV REGION, , UKRAINE

Attn: Yuriy Polulikh
+380 63 147 61 12
road.of.life.boryslav@gmail.com

LOAD PLAN & EXPORTER NOS.

CALL: Steve Oesterheld (540)702-8114 to confirm load
DATE 1/21/26 and TIME 8AM *** CALL TO CONFIRM APPT **

S25056

PLACE OF LOADING - CARGO PREPARATION

World Help
1148 Corporate Park Dr
Forest, , Va 24551

NOTIFY PARTY (COMPLETE NAME AND ADDRESS)

Blue port
UL. WIECZORYNKI 43, POZNAN,
60-193 POLAND
POZNAN 30, POLAND

Attn: Vasyi Porokhnavets
+48 570 111 800
PCHROSTOWSKI@BLUE-
PORT.PL

PLACE OF RECEIPT BY PRECARRIER

Forest, Va 24551

PRECARRIAGE BY

Carolina National

PORT OF LOADING

NORFOLK

VESSEL CUT

1/26/26

VESSEL / VOYAGE

605E

ETD

1/28/26

PORT OF DISCHARGE

GDYNIA

ETA

3/3/26

PLACE OF DELIVERY

Lviv

ONW ETA

SPECIAL INSTRUCTIONS

DROP FULL TO NORFOLK INTL TERMINAL FIRMS CODE:L005 7737
HAMPTON BLVD

ERD 1-21 CUT

SIZE 40 HC VSL RETURN CUT

RETURN TERMINAL

NORFOLK

RETURN TERM NIT HP

VGM DECLARATION Complete weight details, check box, & sign

() We hereby authorize forwarder, as agents, to obtain VGM on exporter's behalf. Exporter will indemnify forwarder and hold forwarder harmless of all liability or fines which may be sustained as a result of having complied with exporter's request to obtain the total VGM weight.

() Exporter has used state certified scales & certifies that the weights as stated in pounds herein are true and correct per VGM standards.

Details are as listed per container below.

[Signature]
Exporter, authorized signature

Steve Oesterheld
Print Name

Submit by cutoff. Otherwise subject to delay & penalty.

CUTOFF 00:00 1/23/26

Pallets - 39
Boxes - 173

CARGO - LADING

S25056

Shipper, please complete below and return after container loading

Container no. F FA42860350 & Bolt Seal UL-5636687 said to contain: 212 please circle: total pcs.
WEIGHTS: Cargo 21,710 + Tare 8,160 = 29,870 VGM pounds
loose pcs. pallets

RECEIVED THE ABOVE DESCRIBED GOODS OR PACKAGES SUBJECT TO ALL THE TERMS OF THE UNDERSIGNED'S REGULAR FORM OF DOCK RECEIPT AND BILL OF LADING WHICH SHALL CONSTITUTE THE CONTRACT UNDERWHICH THE GOODS ARE RECEIVED, COPIES OF WHICH ARE AVAILABLE FROM THE CARRIER ON REQUEST AND MAY BE INSPECTED AT ANY OF ITS OFFICES.

WAREHOUSE SUPPLIER	IN		OUT		TERMINAL SIGNATURES		DRAYMAN SIGNATURES	
	DATE & TIME		DATE & TIME		WAREHOUSEMAN		DRIVER - PICKUP	
	8/21 @ 8:00		8/21 @ 9:30		<i>[Signature]</i>			
DOCK / WHARF for the Master	DATE & TIME		DATE & TIME		RECEIVING CLERK		DRIVER - DELIVERY	

ONLY CLEAN DOCK RECEIPT ACCEPTED.

930453 *[Signature]*
Ronnie



UL-5636687

49

FFAU

286035
45G1

0



MAX.GROSS

32,500 KG
71,650 LBS

TARE

3,700 KG
8,160 LBS



MAX.CARGO

28,800 KG
63,490 LBS

CU. CAP.

76.4 CU.M.
2,700 CU.FT.

DIMENSIONS	
INTERNAL LENGTH	39FT 5 45/64IN 12032MM
INTERNAL WIDTH	7FT 8 19/32IN 2352MM
INTERNAL HEIGHT	8FT 10 7/32IN 2698MM
DOOR OPENING WIDTH	7FT 8 1/8IN 2340MM
DOOR OPENING HEIGHT	8FT 5 49/64IN 2585MM
MODEL NO.:	HT38J11-RA
DONG FANG INTERNATIONAL CONTAINER (QIDONG) CO., LTD.	

SAE JIN NIN BEVS

SAE JIN NIN BEVS



FFAU 2860315

0

MATERIAL LIST
(A) PAINT SYSTEM:
PAINT MFR'S NAME:
DUCO KANSAI PAINT & CHEMICALS (CHANGSHA) CO. LTD.
EXTERIOR COATING:
PRIMER: SC ZINC PRIMER (SOLVENT & WATERBORNE)
INTERMEDIATE:
EPIMARINE SC PRIMER (WATERBORNE)
TOP COAT: ACRYLIC SC-WATERBORNE
INTERIOR COATING:
PRIMER: SC ZINC PRIMER (SOLVENT & WATERBORNE)
TOP COAT: EPIMARINE SC INTERIOR (WATERBORNE)
BASE COATING:
PRIMER: SC ZINC PRIMER (SOLVENT & WATERBORNE)
TOP COAT: S2500
(B) DOOR HARDWARE:
SJ-88M
(C) DOOR, SIDE, FRONT AND ROOF PANEL,
CROSSMEMBER, GOOSENECK TUNNEL,
TOP AND BOTTOM SIDE RAIL, DOOR MEMBER,
REAR AND FRONT SILL, REAR AND FRONT HEADER,
REAR AND FRONT CORNER POST MATERIALS:
T.P. = 35 KG/MM²
SPA-H T.S. = 49 KG/MM²
(D) REAR CORNER POST INNER MATERIALS:
T.P. = 27 KG/MM²
SMA40YA T.S. = 50 KG/MM²
(E) THE OTHER MATERIALS:
T.P. = 25 KG/MM²
SS400 T.S. = 41 KG/MM²

UL-5636687

UL-5636687